



MATERIAL SAFETY DATA SHEET

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name	:- T-Clean TM Spray
Package	:- MS container ,
Application	:- Remove Buffing Carbon & Finger impression
Product Use	:- After Buffing Operations
Item brand	:- T-Clean
Manufacturer	:- Techno services
Physical Address	:- 242 /243,G.I.D.C kabilpor,396424 , P.O. Box no.396424
Business Phone	:- 99245-59751 /7622005114
E-mail Address	:- tcleannvs@gmail.com
Web Address	:- www.tclean.in
WHMIS Classification	:- Not Regulated

2. HAZARD IDENTIFICATION

Classification	:- Flammable Aerosol
Gas under Pressure	:- Liquefied gas
Route of entry	:- Eyes, Ingestion, Inhalation, Skin.
Inhalation	:- May cause additional health. Get medicals attention
Skin contact	:- Wash with soap and water only signification irritation
Eye contact	:- May cause irritation.
Ingestion	:- Not a normal route of exposure.
Suggested limit rating	:- Fire 0 Health 0 Physical Hazards 0 Personal Protection B

Emergency Overview

Hazard Statements

Extremely Flammable aerosol. Contains gas under pressure; may explode if heated.

Precautionary statements

Prevention:

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Do not breathe dust/fume/gas/mist/vapors/spray. Do not eat, drink or smoke when using this product. Wash exposed skin thoroughly after handling

Symbols

Flame | Gas cylinder | Health Hazard



3. COMPOSITION INFORMATION ON INGREDIENTS

Ingredient	C.A.S. No.	% by Wt
Isobutene	75-28-5	07-13
White Mineral oil (Petroleum)	8042-47-5	10-30
Water	7732-18-5	20-30
Additional	-----	27-63

4. FIRST AID MEASURES

Inhalation : - Remove person to fresh air. Get medical attention

If swallowed :- Rinse mouth. If you feel unwell, get medical attention

Eye contact :- Immediately flushes with large amount of clear water for at least 15 Minutes. Make sure to flush under the Eyelids.

Skin Contact :- Remove with soap and water. Continue flushing with water for several minutes. Use skin cream to counter resulting Dryness. Consult a physician if irritation continues.

5. FIRE FIGHTING MEASURES

Conditions of flammability :- Flammable Product is water based.

Means of extinction :- For warehouse and storage conditions use NFPA Class B extinguishers (CO₂, dry chemical or universal aqueous film forming foam).

Suitable extinguishing media :- Use a fire fighting agent suitable for the surrounding fire.

Unusual fire and explosion

Hazards :- Contents under pressure. Wear goggle & mask

Flash point / determination :- None.

Upper flammable limit :- N/Ap

Lower flammable limit :- N/Ap

Auto-ignition temperature :- N/Ap

Sensitivity to mechanical

Impact :- N/Av

Sensitivity to static discharge :- N/Av

6. ACCIDENTAL RELEASE MEASURES

Leak / spill response:-

Ensure that all spilled material is promptly cleaned up. Absorb with inert material such as vermiculite or paper towels, place in a chemical waste container for eventual disposal. Seal and label the container as waste. Dispose of in accordance with all federal, state, provincial and local regulations.



Special instructions:-

Avoid contact with eyes, or prolonged contact with skin. Wash thoroughly after handling.. Keep away from heat/sparks/open flames/hot surfaces. - No smokin
Use only non-sparking tools. Ventilate the area with fresh air

7 HANDLING AND STORAGE

Handling precautions

Contents under pressure.

Keep out of reach of children.

Read label cautions carefully.

Follow label directions to avoid injury.

Keep away from heat, sparks or open flames.

Wash hands thoroughly after each use.

Do not smoke while using.

Avoid contact with skin and eyes.

Storage requirements

Do not store near heat, sparks, or open flames.

Do not expose to temperatures above 120°F as container may vent, rupture or burst.

Do not puncture container.

8. EXPOSURE CONTROLS / PERSONAL

- Eye protection :- Safety glasses with side shields are recommended as a minimum for any type of industrial chemical handling. Where eye contact could occur, chemical splash proof goggles are recommended.
- Skin protection :- For brief contact, no precautions other than clean body-covering clothing should be needed. When prolonged or repeated contact could occur, use protective clothing .
- Exposure guideline levels :- Since this product is a mixture, an OSHA or ACGIH exposure value is not available. In determination of any exposure procedures, protection or testing use the lowest rated ingredient in Section 2.

9. PHYSICAL AND CHEMICAL

- Physical state :- Liquid
- Odour and appearance :- Citrus, colored White
- Odor threshold :- N/Av
- Specific Physical form :- Aerosol
- Boiling point (°F) :- >100°F
- PH :- 9-11
- Coefficient of water/oil
- Distribution :- N/Av
- Density :- 0.95
- Solubility in water (% by weight) :- completely miscible
- % Volatile by volume :- 75-80 % weight
- Voc's :- 265-295 g/l



10. STABILITY AND REACTIVITY

- Reactivity :- This material may be reactive with certain agents under certain conditions
- Stability :- Product is stable under normal conditions.
- Conditions to avoid :- Heat, sparks, open flames and temperatures above 100°F.
- Materials to avoid :- Strong Oxidizing Agents.
- .

11. TOXICOLOGICAL INFORMATION

- Hazardous polymerization will not occur.
- Signs and Symptoms of Exposure
- No product toxicological information is available.

12. ECOLOGICAL INFORMATION

- Environmental effects :- This product has not been environmental effects.
- Important environmental
- Characteristics :- N/Av
- Aquatic toxicity :- N/Av

13. DISPOSAL CONSIDERATIONS

If containers are to be disposed of (not recycled) it must be managed under all applicable RCRA and state regulations. Collected reinstatement materials from spills may be hazardous wastes, and therefore subject to local, state and federal regulations.



14. TRANSPORTATION INFORMATION

Dot class	:-	Non-Flammable Gas (2.2) #2.2
Un number	:-	UN 1950, Class: 2
Proper shipping name	:-	Aerosols, non Corrosive, Packing Group II or III, (each not Exceeding 1 L& 5 L capacity)

15. REGULATORY INFORMATION

Available information suggests this product do not contain any dangerous or regulated materials.

16. OTHER

Person using this product. Product use and conditions of use are beyond the control of T-clean. Warranty of materials is limited to test results of product performance as detailed in certificates of compliance. Interpretation of test results is the responsibility of end-user. No other warranties, This SDS format is in accordance with T-clean provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained expressed or implied, are made.